
THE METROPOLITAN NEUROSURGERY GROUP

PATIENT REGISTRATION

Today's Date:/	_/					
		PCP Phone:				
PATIENT INFORMATION					1	
LAST NAME	FIRST I	NAME	MI	□ Mr.	□ Single	
				□ Mrs. □ Miss		
				□ Miss	☐ Widow ☐ Divorce / Separate	
				□ IVIS.	Divoice / Separate	
DATE OF BIRTH		GENDER:	ETHNICI	TY (OPTIO	NAL)	
/		$\Box M \Box F$			American Hispanic	
			□ Asian	□ Native A	merican Other	
P.O. BOX:		or:				
STREET ADDRESS:					77.0	
CITY:			STAT	E:	_ZIP:	
SOCIAL SECURITY NO). (OCCUPATION:				
HOME PHONE:	(CELLULAR:		EMAIL:		
		T				
Who referred you to us?		Who is your g	eneticist?	Send letter (visit note) to?		
Preferred Pharmacy Nam	a and Add	lrace:	Pharmacy phon	A no:		
Freieneu Fnamacy Nam	e and Add	11688.	Filatiliacy piloti	e no.		
Height:	Weight:		BP (leave for st	aff):	IR (leave for staff):	
, ", ", ", ", ", ", ", ", ", ", ", ", ",	_	lbs.	/		/ <u>min</u>	
List the 3 top concerns the	<u>nat you w</u>	ould like to dis	cuss today:			
1						
2						
3						
<u> </u>						
Imaging, tests or reports	brought t	for review toda	y:			
1			<u> </u>			
3			1			
5		(5			

PAIN ASSESSMENT:

Using the diagrams below, please indicate pain location, type, frequency and intensity.



PAIN TYPE:

+ aching ↓↓pins and needles

♯ numb

• dull/throb

▼ sharp

≈ nerve pain

FREQUENCY

© continuous ≠ on and off

Patient Name:	Date:
PLEASE LIST ANY CONSERVATIVE TREATMENTS THAT YOU HAV	E TRIED SO FAR:
PHYSICAL THERAPY: Length of treatment and frequency: Does your physical therapist specialize in EDS/Hypermobility?	
Describe your response to treatment:	
OCCUPATIONAL THERAPY:	
Length of treatment and frequency: Does your therapist specialize in EDS/Hypermobility?	
Describe your response to treatment:	
OTHER TYPES OF THERAPY (aqua, massage, dry needling, acupuncture, etc):	
Type of procedure/treatment:	
Length of treatment and frequency: Description in EDS/Hyperson bilities?	
Does your therapist specialize in EDS/Hypermobility? Describe your response to treatment:	
NERVE BLOCKS AND EPIDURAL INJECTIONS: Date(s): Type of block/injection	
Describe your response to treatment:	
OTHER PROCEDURES/TREATMENTS (BACLOFEN PUMP, TENS UNIT, etc. Type of procedure/treatment:	.):
Length of treatment and frequency: Describe your response to treatment:	
BRACES: Type of brace:	
OTHER PROCEDURES, TREATMENTS OR MEDS (e.g. medications you have related symptoms, such as neurogenic bladder, chronic constipation/gastroparesis	
Length of treatment and frequency: Describe your response to treatment:	

EERGE EIGT REE W		JNS ITAI	YOU HAVE	TRIED FO	DR PAIN SU	FAR:
NARCOTIC PAIN MI	EDICATIO	NS (e.g.: Ox	xycodone. Ox	vcontin. D	ilandid. Mori	nhine Sulf
Fentanyl patches, Pero			•	ij contin, D		
Drug						
Dose						
Frequency						
Length of treatment						
Response to						
treatment						
Are you still taking it?	Yes	No	Yes	No	Yes	No
ORAL CORTICOSTE Methylprednisolone, D Drug			Solucortef, <u>(</u>	Cortisone, <u>F</u>	Prednisone, P	rednisolor
Dose						
Frequency						
Length of treatment						
Response to						
treatment						
Are you still taking it?	Yes	No	Yes	No	Yes	No
N.S.A.I.D.S (e.g.: <u>Aspi</u> Ketoprofen [<u>Actron, O</u>						
Drug	ebrex, Keto		<u></u> ,, <u>, pro</u> ,	muoem, Ex	odine, <u>Napros</u>	
	ebrex, Keto		, <u> </u>	indocini, <u>Li</u>	odine, <u>Napros</u>	, =====
Drug Dose Frequency	ebrex, Keto			indocin, <u>D</u>	odine, <u>Napro</u>	
Drug Dose Frequency Length of treatment	ebrex, Keto			indocin, <u>i</u>	odine, <u>Napro</u>	
Drug Dose Frequency	ebrex, Keto			macent, <u>IX</u>	odine, Napros	
Drug Dose Frequency Length of treatment Response to treatment		rolac, etc)				No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it?	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it?	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it? DTHER PAIN MEDIC	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it?	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it? OTHER PAIN MEDIC Drug Dose	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it? OTHER PAIN MEDIC Drug	Yes	No	Yes	No	Yes	No
Drug Dose Frequency Length of treatment Response to treatment Are you still taking it? DTHER PAIN MEDIO Drug Dose Frequency	Yes	No	Yes	No	Yes	No
Dose Frequency Length of treatment Response to treatment Are you still taking it? OTHER PAIN MEDIO Drug Dose Frequency Length of treatment	Yes	No	Yes	No	Yes	No

Date:__

Patient Name:

tie	nt Name:							
гн	ER MEDICATIONS	(nlease print)						
Nr.	Medication	Dose	Frequency	Prescribing Physician	Taking since (year)			
1					, ,			
2								
3								
4								
5								
6								
7								
8								
9								
10 11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								

Nr.	Allergen	Reaction	Mild	Moderate	Severe
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

HISTORY Social History (check a	all that apply)		
Living arrangements	□ live alone □	does not live alor	ne e
Occupation/Exposure	□ agricultural	□ office work □	other exposure
Activities of daily	□ use a cane	□ use a walker □	use a wheelchair □ problems using toilet
living			y on others for transportation
Foreign travel/living	□ has recently f	traveled outside U.	S.
Exercise	□ regularly □	occasionally 🗆 r	arely never
Education	□ currently atte	ending school	
Employment status	□ working full □ not working	time working p	part time
□ never smoked.	cigarettes/day: _		stopped: years ago.
Alcohol consumption:	_		
\Box socially (2-3 times a y	· · · · · · · · · · · · · · · · · · ·		
□ occasionally (2-3 time	,		
□ frequently (2-3 times	a week)		
□ 1 drink daily*			
□ 2-3 drinks daily*	:1*		
□ more than 3 drinks da * one glass of wine/one		loss of liquor are as	ancidered one drink
one grass of wine/one	beer/one shot gr	lass of fiquor are co	disidered one drink.
Recreational drugs use	ρ•		
□ current user: type of	<u>:</u> 'drug:	frequency:	last time used:
□ former user: type of	drug:	frequency:	last time used:
□ never used		—1y · ——	
KARNOSKY SCALE	(Please circle or	<u>ne)</u>	
90%- Able to carr 80%- Normal act 70%- Cares for so 60%- Requires oc 50%- Requires co 40%- Disabled; ro 30%- Severely di 20%- Hospitaliza	ry on normal activities but with effelf, but is unable to ccasional assistance on siderable assistate equires special carsable; hospitalizat	fort; some signs of sy o carry on normal ac- ce, but is able to care ance and frequent me re and assistance tion is indicated but or cry sick, active suppo	symptoms of disease ymptoms or disease tivities or to do active work for most needs

Date:_

Patient Name:

Patient Name:			Date:			
HAVE YO	U EVER BEEN DIAGNOSED WITH	<u>I:</u>				
Ehlers Dan	nlos Syndrome (EDS) or other connec	etive tissue disorde	r?			
□ YES:	when did you experience the first sy any precipitating event? year the diagnosis was made:	mptoms?				
	year the diagnosis was made:	by:				
Chiari Ma □ NO	lformation?					
□ YES:	when did you experience the first sy any precipitating event? year the diagnosis was made:	mptoms?				
	year the diagnosis was made:	by:				
Tarlov Cys □ NO □ YES:	when did you experience the first sy	ymntoms?				
L ILS.	any precipitating event?					
	year the diagnosis was made:	by:				
Other Med	lical History		Onset	Related to		
	ILLNESS		(year)	today's visit?		

Patient Name:			<u>Date:</u>	
Family Medical Histor	<u>'Y</u>			
Relative (e.g. mother,	L: living	Age	Illness(s)	
Relative (e.g. mother, father, etc.)	L: living D: deceased			
		1		
		1		
O				
Surgical History				*7
Surgery				Year

Patient Name: Date:

STANDING TIME (Please circle one)

- 0 On most occasions, I can stand as long as necessary without experiencing orthostatic symptoms
- 1- On most occasions, I can stand *more than 15 minutes* before experiencing orthostatic symptoms
- 2- On most occasions, I can stand 5-14 minutes before experiencing orthostatic symptoms
- **3-** On most occasions, I can stand *1-4 minutes before* experiencing orthostatic symptoms
- **4-** On most occasions, I can stand *less than 1 minute before* experiencing orthostatic symptoms

ORTHOSTATIC (Please circle one)

1. Frequency of orthostatic symptoms

- 0- I never or rarely experience orthostatic symptoms when I stand up
- 1- I sometimes experience orthostatic symptoms when I stand up
- 2- I often experience orthostatic symptoms when I stand up
- 3- I usually experience orthostatic symptoms when I stand up
- 4- I always experience orthostatic symptoms when I stand up

2. Severity of orthostatic symptoms

- 0- I do not experience orthostatic symptoms when I stand up
- 1- I experience mild orthostatic symptoms when I stand up
- 2- I experience *moderate* orthostatic symptoms when I stand up and *sometimes* have to sit back down for relief
- 3- I experience *severe* orthostatic symptoms when I stand up and *frequently* have to sit back down for relief
- 4- I experience *severe* orthostatic symptoms when I stand up and *regularly faint* if I do not sit back down

3. Conditions under which orthostatic symptoms occur

- 0- I never or rarely experience orthostatic symptoms under any circumstances
- 1- I *sometimes* experience orthostatic symptoms under certain conditions, such as prolonged standing, a meal, exertion (e.g. walking), or when exposed to heat (e.g. hot day, hot bath, hot shower)
- 2- I *often* experience orthostatic symptoms under certain conditions, such as prolonged standing, a meal, exertion (e.g. walking), or when exposed to heat (e.g. hot day, hot bath, hot shower)
- 3- I *usually* experience orthostatic symptoms under certain conditions, such as prolonged standing, a meal, exertion (e.g. walking), or when exposed to heat (e.g. hot day, hot bath, hot shower)
- 4- I always experience orthostatic symptoms when I stand up; the specific conditions do not matter

4. Activities of daily living

- 0- My orthostatic symptoms *do not interfere* with activities of daily living (e.g. work, chores, dressing bathing)
- 1- My orthostatic symptoms *mildly interfere* with activities of daily living (e.g. work, chores, dressing bathing)
- 2- My orthostatic symptoms *moderately interfere* with activities of daily living (e.g. work, chores, dressing bathing)
- 3- My orthostatic symptoms *severely interfere* with activities of daily living (e.g. work, chores, dressing bathing)
- 4- My orthostatic symptoms *severely interfere* with activities of daily living (e.g. work, chores, dressing bathing)/ *I am bed or wheelchair bound because of my symptoms*

box)												
Much	No	ot at All	A	Little				Some-wha	nt	Quite A L	ot	Very
Spells of confusion	()	()		()	()	()	
Thoughts getting mixed up	()	()		()	()	()	
Poor Concentration	()	()		()	()	()	
Difficulty making decisions	()	()		()	()	()	
Poor memory for recent events	()	()		()	()	()	
Can't take things in when speak	king	g to people	()		()	()	()	
Thoughts are slow (CONTINUED)	()	()		()	()	()	
Muzzy or foggy head	()	()		()	()	()	
Can't find the right words	()	()		()	()	()	
Scoring for each item:		0			1			2		3		4

Date:

KARNOSKY SCALE (Please circle one)

Patient Name:

WOOD MENTAL FATIGUE INVENTORY

100% - Normal; no complaints and no evidence of disease

90%- Able to carry on normal activities; minor signs or symptoms of disease

80%- Normal activities but with effort; some signs of symptoms or disease

70%- Cares for self, but is unable to carry on normal activities or to do active work

60%- Requires occasional assistance, but is able to care for most needs

50%- Requires considerable assistance and frequent medical care

40% - Disabled; requires special care and assistance

30%- Severely disable; hospitalization is indicated but death is not imminent

20%- Hospitalization necessary, very sick, active supportive treatment necessary

10% - Moribund; fatal processes progressing rapidly

Patient Name:	Date:

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much? (Circle One Number on Each Line)

	Yes, Limited a Lot (1)	Yes, Limited a Little (2)	No, Not limited at All (3)
Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports	1	2	3
Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	1	2	3
Lifting or carrying groceries	1	2	3
Climbing several flights of stairs	1	2	3
Climbing one flight of stairs	1	2	3
Walking more than a mile	1	2	3
Walking several blocks	1	2	3
Walking one block	1	2	3
Bathing or dressing yourself	1	2	3

Patient Name:	Date:

Indicate severity using number scale 1 = None 2 = Mild 3 = Moderate 4 = Severe 5 = Incapacitating											
NEUROLOGICAL					MUSCULOSKELETAL						
Hyperaccusis/sensitivity to noise	1	2	3	4	5	Neck pain on bumpy roads	1	2	3	4	5
Ringing in the ears	1	2	3	4	5	Muscle pain at rest	1	2	3	4	5
Loss of hearing	1	2	3	4	5	Cramps/stiff muscles	1	2	3	4	5
Balance disorder	1	2	3	4	5	Pain in legs while walking	1	2	3	4	5
Vertigo (room spinning around)	1	2	3	4	5	Back pain when lying down	1	2	3	4	5
Dizziness/lightheadedness	1	2	3	4	5	Scoliosis	1	2	3	4	5
Shaking episodes (dystonias)	1	2	3	4	5	Back pain walking up incline	1	2	3	4	5
Seizures	1	2	3	4	5	Lower back pain	1	2	3	4	5
Tremors	1	2	3	4	5	Sacral pain	1	2	3	4	5
Headache	1	2	3	4	5	Sleep with knees bent	1	2	3	4	5
Neck pain	1	2	3	4	5	CARDIOVASCULAR/AUTONO					
Loss of consciousness/syncope	1	2	3	4	5	Feeling heart beats/palpitations	1	2	3	4	5
Pre-syncope	1	2	3	4	5	Chest tightness/pain at rest	1	2	3	4	5
Concentration difficulties	1	2	3	4	5	Chest pain on exertion	1	2	3	4	5
Memory loss	1	2	3	4	5	Shortness of breath at night	1	2	3	4	5
Blurred vision	1	2	3	4	5	Shortness of breath at rest	1	2	3	4	5
Double vision	1	2	3	4	5	Shortness of breath on exertion	1	2	3	4	5
Teichopsia (vision flashes)	1	2	3	4	5	Fingers change color with	1	2	3	4	5
,						temperature					
Photosensitivity (light sensitivity)	1	2	3	4	5	Excessive sweating	1	2	3	4	5
Hyperolfaction (sensitivity to smell)	1	2	3	4	5	Heat intolerance	1	2	3	4	5
Facial numbness	1	2	3	4	5	Elevated temperature of >101.5 °	1	2	3	4	5
Paresthesia/tingling/sensory loss	1	2	3	4	5	Sleep disturbances	1	2	3	4	5
Leg weakness	1	2	3	4	5	Abnormally dilated pupils	1	2	3	4	5
Arm weakness	1	2	3	4	5	GASTROINTESTINAL					
Nausea/vomiting	1	2	3	4	5	Abdominal pain	1	2	3	4	5
Poor coordination	1	2	3	4	5	Bloating	1	2	3	4	5
Speech difficulty	1	2	3	4	5	Constipation	1	2	3	4	5
Hoarseness	1	2	3	4	5	Heart burn/ GERD	1	2	3	4	5
Choking	1	2	3	4	5	Diarrhea	1	2	3	4	5
Difficulty swallowing	1	2	3	4	5	Black stool/blood in stool	1	2	3	4	5
CONSTITUTIONAL					Loss of bowel control	1	2	3	4	5	
Fatigue	1	2	3	4	5	GENITOURINARY	_	,			
Rashes	1	2	3	4	5	Burning with urination (dysuria)	1	2	3	4	5
Easily bruised	1	2	3	4	5	Increased frequency / urination	1	2	3	4	5
Joint pain	1	2	3	4	5	Loss of bladder control	1	2	3	4	5
Poor wound healing	1	2	3	4	5	Nocturia (urination at night)	1	2	3	4	5
Frequent infections	1	2	3	4	5	Difficulty initiating stream	1	2	3	4	5
Anemia	1	2	3	4	5	Unable to empty bladder	1	2	3	4	5
Excessive bleeding	1	2	3	4	5	Enuresis (bedwetting)	1	2	3	4	5
Swollen lymph nodes	1	2	3	4	5	<u>PSYCHIATRIC</u>	1				
Thyroid disorder	1	2	3	4	5	Depression	1	2	3	4	5
						Anxiety/panic	1	2	3	4	5

Patient Name:	Date:
OTHER PERTINENT INFORMATION YOU WOULD LIKE TO ADD:	